


## **Angled Wall Brackets**

Angled brackets are available for 5m to 8m poles.




A	Architectural Flagpoles					
LENGTH OF POLE	BRACKET PLATE SIZE (mm)	HOLE CENTRE DISTANCE (mm)	HOLE SIZE			
6m 8m	300 × 100 300 × 100	250 250	16.5 16.5			

Telephone: 01246 472 949

Email: sales@bannerbox.co.uk © Specialised Canvas Services Limited. All rights reserved.



## **Angled Wall Brackets**




Telephone: 01246 472 949

Email: sales@bannerbox.co.uk © Specialised Canvas Services Limited. All rights reserved.



# Base Plate Foundations



Foundation Tables								
Pieces	Weight (kg)	Foundation Size Depth/Width <sub>(mm)</sub>	Foundation Stud	Length of Stud (mm)	Baseplate Centres (mm)			
1	15	800/600	M16	500	200 x 200			
1	18	1000/800	M16	500	200 x 200			
1	40	1000/800	M20	1000	300 x 300			
1	64	1500/1000	M20	1000	300 x 300			
2	122	1500/1500	M24	1000	300 x 300			
	1 1 1	1 15 1 18 1 40 1 64	Pieces         Weight (kg)         Foundation Size Depth/Width (mm)           1         15         800/600           1         18         1000/800           1         40         1000/800           1         64         1500/1000	Pieces         Weight (kg)         Foundation Size Depth/Width (mm)         Foundation Stud           1         15         800/600         M16           1         18         1000/800         M16           1         40         1000/800         M20           1         64         1500/1000         M20	Pieces         Weight (kg)         Foundation Size Depth/Width (mm)         Foundation Stud of Stud (mm)         Length of Stud (mm)           1         15         800/600         M16         500           1         18         1000/800         M16         500           1         40         1000/800         M20         1000           1         64         1500/1000         M20         1000			


Note: Studding should be set 75mm proud of the foundation surface


Telephone: 01246 472 949



## **Base Plate**

#### For 6m and 8m poles





#### Hinged Base Plate (steel base)

(cast aluminium up to 8m)


Weight = 5kg

Telephone: 01246 472 949 Email: sales@bannerbox.co.uk



## **External Halyard With Cleat**


- Rigged with high quality braided polyester rope
- Top pulley is integral with machined aluminium top
- Cleat is plastic



Telephone: 01246 472 949



## Architectural Flagpoles Internal Halyard



INTERNAL HALYARD

- Lockable access door prevents tampering with the halyard
- Internal cam cleat
- External weighted rope harness to maintain tension on the flag

Telephone: 01246 472 949



### Overview



#### Why Aluminium Architectural?

Because the high strength to weight ratio of aluminium ensures an exceptionally practical, durable and robust product, perfect for prestigious locations.

#### Features at a glance:

- 4mm 6063T6 aluminium
- One piece, smooth tapered profile (upto 15m)
- White powder coated

#### **Options:**

- External or internal halyard
- Hinged or fixed baseplate
- Vertical brackets (upto 12m)
- Angled wall brackets (upto 8m)
- Traditional truck head
- Gold finial
- Rotating arm (upto 12m)

Architectural Flagpoles									
Distance E	Bottom O/S	Top Outside Diameter						Best Flag	
Bottom	Diameter	5	6	7	8	10	12	14	Size (yard)
6	114mm	_	60						2
8	114mm	_	_		60				2.5
10	165mm	_	_	_	_	76			3
12	177mm	_	_			_	76		4
15	222mm							76	5




# BANNER BOX Architectural Flagpoles PRINT SOLUTIONS

## **Rotating Arms**

#### **Rotating Arms**

Rotating arms are valuable additions to a flagpole, allowing portrait style flags to be displayed at a 90 degree angle.




Telephone: 01246 472 949


Email: sales@bannerbox.co.uk



## **Base Plate**

#### Galvanized Steel for 10m and 12m flagpoles







Telephone: 01246 472 949



## **Base Plate**

#### Galvanized Steel for 10m and 12m flagpoles






Telephone: 01246 472 949



### **Vertical Wall Brackets**



- Welded steel construction with hot dipped galvanised finish
- Brackets have backing plate with two holes for M15 bolts between 250mm and 350mm centres
- The throw (stalk length) is 150mm
- Greater stalk lengths are possible



Vertical wall bracket installation guide								
LENGTH OF POLE	BRACKET PLATE SIZE	HOLE CENTRE DISTANCE	HOLE SIZE	RECOMMENDED MINIMUM CENTRES BETWEEN BRACKETS	THROW From Wall			
m 6 8 10 12	mm 300 × 100 300 × 100 400 × 100 400 × 100	mm 250 250 350 350	mm 16.5 16.5 16.5 16.5	m 1.25 1.50 2.50 3.50	mm 150 150 150			

Telephone: 01246 472 949


Email: sales@bannerbox.co.uk 
© Specialised Canvas Services Limited. All rights reserved.



### **Architectural Rigging Variations**

### Yard Arm and Gaff Bracket

- Brackets are fabricated from welded steel, shot blasted and galvanised or powder coated
- Arms are produced from powder coated aluminium tube, size 60mm o/d, with 3mm wall
- Special brackets have been developed to mount either (1) yard arms or (2) gaffs or (3) both
- No standard dimensions, our Team will happily advise



Telephone: 01246 472 949